

L Number	Hits	Search Text	DB	Time stamp
1	4343	714/6-8.ccls. or 713/1-2.ccls. or 713/100.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:32
2	3455	711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:32
3	1952	365/185.33.ccls. or 365/94.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:32
5	835	717/168.ccls. or 717/173-174.ccls. or 717/178.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:32
6	906	712/37.ccls. or 712/226-227.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:34
7	28498	(flash or eeprom or eprom or prom) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:15
8	37580	(variable or parameter or arbitrary) with address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:52
9	86	((flash or eeprom or eprom or prom) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) ) same ((variable or parameter or arbitrary) with address )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:39
12	10997	{714/6-8.ccls. or 713/1-2.ccls. or 713/100.ccls.} or {711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls. } or {365/185.33.ccls. or 365/94.ccls. } or {717/168.ccls. or 717/173-174.ccls. or 717/178.ccls. } or {712/37.ccls. or 712/226-227.ccls. }	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:40
13	20	((flash or eeprom or eprom or prom) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) ) same ((variable or parameter or arbitrary) with address )) and ({714/6-8.ccls. or 713/1-2.ccls. or 713/100.ccls.} or {711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls. } or {365/185.33.ccls. or 365/94.ccls. } or {717/168.ccls. or 717/173-174.ccls. or 717/178.ccls. } or {712/37.ccls. or 712/226-227.ccls. })	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:40

Best Available Copy

14	10	(((((flash or eeprom or eprom or prom) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) ) same ((variable or parameter or arbitrary) with address )) and ((714/6-8.ccls. or 713/1-2.ccls. or 713/100.ccls.) or (711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls. ) or (365/185.33.ccls. or 365/94.ccls. ) or (717/168.ccls. or 717/173-174.ccls. or 717/178.ccls. ) or (712/37.ccls. or 712/226-227.ccls. ))) and (@ad<=19990819 or @rlad<=19990819)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:54
15	56387	(flash or eeprom or eprom or prom) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:18
16	68028	(variable or parameter or arbitrary) same address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:12
18	506	((flash or eeprom or eprom or prom) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) ) same ((variable or parameter or arbitrary) same address )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:53
19	352	(((((flash or eeprom or eprom or prom) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) ) same ((variable or parameter or arbitrary) same address )) and (@ad<=19990819 or @rlad<=19990819)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:14
20	32	(((((flash or eeprom or eprom or prom) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) ) same ((variable or parameter or arbitrary) same address )) and (@ad<=19990819 or @rlad<=19990819)) and ((714/6-8.ccls. or 713/1-2.ccls. or 713/100.ccls.) or (711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls. ) or (365/185.33.ccls. or 365/94.ccls. ) or (717/168.ccls. or 717/173-174.ccls. or 717/178.ccls. ) or (712/37.ccls. or 712/226-227.ccls. )))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 10:54
21	3456	(variable or parameter or arbitrary) same address same (program or routine or subroutine or subprogram) same (updat\$3 or modif\$4 or chang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:14
22	179	((flash or eeprom or eprom or prom) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) ) same ((variable or parameter or arbitrary) same address same (program or routine or subroutine or subprogram) same (updat\$3 or modif\$4 or chang\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:14
23	127	(((((flash or eeprom or eprom or prom) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) ) same ((variable or parameter or arbitrary) same address same (program or routine or subroutine or subprogram) same (updat\$3 or modif\$4 or chang\$3))) and (@ad<=19990819 or @rlad<=19990819)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:18

24	35508	(flash or eeprom or eprom or prom or (non adj2 volatile)) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:19
25	74	((variable or parameter or arbitrary) same address same (program or routine or subroutine or subprogram) same (updat\$3 or modif\$4 or chang\$3)) same ((flash or eeprom or eprom or prom or (non adj2 volatile)) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:17
26	69872	(flash or eeprom or eprom or prom or (non adj2 volatile)) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:18
27	226	((variable or parameter or arbitrary) same address same (program or routine or subroutine or subprogram) same (updat\$3 or modif\$4 or chang\$3)) same ((flash or eeprom or eprom or prom or (non adj2 volatile)) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:18
28	154	((variable or parameter or arbitrary) same address same (program or routine or subroutine or subprogram) same (updat\$3 or modif\$4 or chang\$3)) same ((flash or eeprom or eprom or prom or (non adj2 volatile)) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) )) and (@ad<=19990819 or @rlad<=19990819)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:18
29	35510	(flash or eeprom or eprom or prom or (non adj2 volatile)) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension)/ti. or ab. or clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:25
30	105	((variable or parameter or arbitrary) same address same (program or routine or subroutine or subprogram) same (updat\$3 or modif\$4 or chang\$3)) same ((flash or eeprom or eprom or prom or (non adj2 volatile)) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) )) and (@ad<=19990819 or @rlad<=19990819) and ((flash or eeprom or eprom or prom or (non adj2 volatile)) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension)/ti. or ab. or clm. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:20

31	93	(((variable or parameter or arbitrary) same address same (program or routine or subroutine or subprogram) same (updat\$3 or modif\$4 or chang\$3)) same ((flash or eeprom or eprom or prom or (non adj2 volatile)) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) )) and (@ad<=19990819 or @rlad<=19990819)) and ((flash or eeprom or eprom or prom or (non adj2 volatile)) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension)/ti. or ab. or clm. )) not (((flash or eeprom or eprom or prom) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) ) same ((variable or parameter or arbitrary) same address )) and (@ad<=19990819 or @rlad<=19990819)) and ((714/6-8.ccls. or 713/1-2.ccls. or 713/100.ccls.) or (711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls. ) or (365/185.33.ccls. or 365/94.ccls. ) or (717/168.ccls. or 717/173-174.ccls. or 717/178.ccls. ) or (712/37.ccls. or 712/226-227.ccls. )))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:20
32	1947	((flash or eeprom or eprom or prom or (non adj2 volatile)) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:28
34	1	(((variable or parameter or arbitrary) same address same (program or routine or subroutine or subprogram) same (updat\$3 or modif\$4 or chang\$3)) same ((flash or eeprom or eprom or prom or (non adj2 volatile)) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) )) and (@ad<=19990819 or @rlad<=19990819)) and (((flash or eeprom or eprom or prom or (non adj2 volatile)) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension)).ti. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:28
35	7988	((flash or eeprom or eprom or prom or (non adj2 volatile)) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:28
36	3661	((flash or eeprom or eprom or prom or (non adj2 volatile)) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:28
37	19	(((variable or parameter or arbitrary) same address same (program or routine or subroutine or subprogram) same (updat\$3 or modif\$4 or chang\$3)) same ((flash or eeprom or eprom or prom or (non adj2 volatile)) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) )) and (@ad<=19990819 or @rlad<=19990819)) and (((flash or eeprom or eprom or prom or (non adj2 volatile)) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension)).ab. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:29

38	15	(((variable or parameter or arbitrary) same address same (program or routine or subroutine or subprogram) same (updat\$3 or modif\$4 or chang\$3)) same ((flash or eeprom or eprom or prom or (non adj2 volatile)) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) )) and (@ad<=19990819 or @rlad<=19990819)) and (((flash or eeprom or eprom or prom or (non adj2 volatile)) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension)).clm. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:29
39	16	(((variable or parameter or arbitrary) same address same (program or routine or subroutine or subprogram) same (updat\$3 or modif\$4 or chang\$3)) same ((flash or eeprom or eprom or prom or (non adj2 volatile)) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) )) and (@ad<=19990819 or @rlad<=19990819)) and (((flash or eeprom or eprom or prom or (non adj2 volatile)) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension)).ab. )) not (((flash or eeprom or eprom or prom) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) ) same ((variable or parameter or arbitrary) same address )) and (@ad<=19990819 or @rlad<=19990819)) and ((714/6-8.ccls. or 713/1-2.ccls. or 713/100.ccls.) or (711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls. ) or (365/185.33.ccls. or 365/94.ccls. ) or (717/168.ccls. or 717/173-174.ccls. or 717/178.ccls. ) or (712/37.ccls. or 712/226-227.ccls. )))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:29
40	13	(((variable or parameter or arbitrary) same address same (program or routine or subroutine or subprogram) same (updat\$3 or modif\$4 or chang\$3)) same ((flash or eeprom or eprom or prom or (non adj2 volatile)) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) )) and (@ad<=19990819 or @rlad<=19990819)) and (((flash or eeprom or eprom or prom or (non adj2 volatile)) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension)).clm. )) not (((flash or eeprom or eprom or prom) same (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extend\$3 or expansion or expand\$3 or extension) ) same ((variable or parameter or arbitrary) same address )) and (@ad<=19990819 or @rlad<=19990819)) and ((714/6-8.ccls. or 713/1-2.ccls. or 713/100.ccls.) or (711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls. ) or (365/185.33.ccls. or 365/94.ccls. ) or (717/168.ccls. or 717/173-174.ccls. or 717/178.ccls. ) or (712/37.ccls. or 712/226-227.ccls. )))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 11:29